

# Risk Assessment for Lateral Flow **Device** Testing in Schools – Coronavirus (Covid-19) Pandemic Risk Assessment **V2**



<b>Activity:</b>	<b>Lateral Flow <b>Device</b> Testing in Schools during Coronavirus (Covid-19) Pandemic</b>		<b>Location(s):</b>	Samuel King’s School, Alston.	
<b>Assessor:</b>	S Timmons	<b>Ref No.:</b>		<b>Distribution:</b>	
<b>Date:</b>	28.12.20	<b>Proposed Review Date:</b>	28.1.21	<b>Signed:</b>	<i>S Timmons</i>

This Risk Assessment must be read in conjunction with the school’s existing Covid-19 Risk Assessment(s), [Schools and childcare settings: return in January 2021](#) and the NHS guidance [COVID-19 National Testing Programme: Schools and College handbook](#) and school testing ‘site’ map/plan.

**Testing of all secondary-aged students is recommended and supported, but not mandated.** However, in line with routine infection control practice, close contacts who decide not to be tested daily following the mass testing exercise will need to self-isolate in line with [Stay at home: guidance for households with possible or confirmed coronavirus \(COVID-19\) infection](#).

Written parental consent for the lateral flow **device** test to be administered will be sought for those pupils under the age of 16 and those under 18 who cannot give their own consent because of special needs or learning difficulties. Those aged 18 or over can consent for themselves. **[Special schools to include a statement for those aged 18 and over in relation to consent].** **If on the day of testing if any pupil does not wish to take part, then they will not be made to do so and consent can be withdrawn at any time ahead of the test.** Where consent has been given by the parents and the pupil does not wish to take part in the test on the test date, parents will be notified of their child’s decision. **However, if any staff member, or pupil does not wish to consent to take part in testing they will still be able to attend school unless they develop symptoms.** Those aged 16 and over may give their own consent after discussing the issue with their parent/guardian. Written consent will be sought from staff and other adults taking part in the test. Consent may be withdrawn at any time ahead of the test. Consent forms must be completed on the day of the test.

**For looked after children, local authorities may already have arrangements in place that cover medical treatment, which may extend to this form of testing. Where that is not the case, parental consent should be secured via the child’s social worker, who may need to contact the birth parents or other persons who hold parental responsibility.**

Pupils and staff who have tested positive for Covid-19 in the previous 90 days will not be tested using the **lateral flow device (LFD)**. This is because although not infectious, they could still be carrying residual Covid-19 virus. If, however, an individual who previously tested positive in the previous 90 days develops new symptoms, they must self-isolate and [arrange to have a test](#).

Hazard	Risk	Individuals at risk	Risk Rating	Control Measures What are we doing now?	Notes/Additional Control Measures What more do we need to	Residual Risk
Inappropriate safeguarding arrangements during the testing process	Access to pupils by individuals who have not undergone the appropriate checks	Pupils	High	<input type="checkbox"/> All adults involved with in the testing programme will <b>either</b> hold an Enhanced Disclosure for Regulated Activity (i.e. with a children’s barred list check, <b>or</b> , if they do not hold an Enhanced Disclosure (with or without a barred list check) will be closely supervised by a member of the school staff who themselves are in regulated activity and hold the appropriate certificate checked by a member of the school staff. <input type="checkbox"/> Test Assistants who are physically administering swab tests to pupils <b>MUST</b> hold an Enhanced Disclosure for Regulated Activity, i.e. with a Children’s Barred list check. Where assistance is required by pupils aged 18 and over, the Disclosure must also include an Adults Barred List check.	The administering of swab tests is considered to be personal care and as such an Enhanced Disclosure for Regulated Activity (i.e. includes the appropriate Barred List check) is legally required.  All adults involved in the testing programme will be AMF staff, governors or regular volunteers.	LOW
Contact with individuals who are unwell	Serious respiratory illness, death	All building users, including visitors/	High	<input type="checkbox"/> Ensure that pupils, staff and other adults do not come into school if they have <a href="#">coronavirus (COVID-19) symptoms</a> (a new continuous cough, a temperature in excess of 37.8°C or a loss of, or change in their normal sense of taste or smell (anosmia)) or have tested positive in the last 10	Ensure all staff and parents are made aware.	MEDIUM

Hazard	Risk	Individuals at risk	Risk Rating	Control Measures What are we doing now?	Notes/Additional Control Measures What more do we need to	Residual Risk
		parents, contractors/ maintenance personnel		<p>days, and ensure anyone developing those symptoms during the school day is sent home (<a href="#">Stay at home guidance for households with possible Covid-19 infection</a>).</p> <ul style="list-style-type: none"> <li><input type="checkbox"/> If anyone in the school becomes unwell with coronavirus symptoms, they must be sent home and advised to follow the above <a href="#">Stay at home guidance</a>, which sets out that they must self-isolate for at least 10 days and should <a href="#">arrange to have a test</a>. Other members of their household (including any siblings) should self-isolate for 10 days from the day after contact with the individual who tested positive.</li> <li><input type="checkbox"/> If someone in a child or staff member's <a href="#">support bubble</a> is showing coronavirus symptoms, or otherwise self-isolating, everyone in that support bubble should stay home. If the child/staff member or a member of their support bubble is contacted as part of the <a href="#">NHS Test and Trace programme</a>, the individual contacted should stay at home. If the individual becomes symptomatic, everyone in the support bubble should then isolate.</li> <li><input type="checkbox"/> If a child is awaiting collection, they will be moved, if possible, to a room where they can be isolated behind a closed door, depending on the age and needs of the child, with appropriate adult supervision if required. Ideally, a window should be opened for ventilation. If it is not possible to isolate them, we will move them to an area which is at least 2 metres away from other people.</li> <li><input type="checkbox"/> If they need to go to the bathroom while waiting to be collected, they should use a separate bathroom if possible. The bathroom will be cleaned and disinfected using standard cleaning products before use by anyone else.</li> <li><input type="checkbox"/> If a child needs direct personal care until they can return home, a fluid-resistant surgical face mask will be worn by the supervising adult if a distance of 2m cannot be maintained. If contact with the child is necessary, then disposable gloves and a disposable apron will also be worn by the supervising adult. If a risk assessment determines that there is a risk of splashing to the eyes, e.g. from coughing, spitting, or vomiting, then eye protection will also be worn. Refer to <a href="#">safe working in education, childcare and children's social care settings, including the use of personal protective equipment (PPE)</a></li> <li><input type="checkbox"/> In an emergency, call 999 if someone is seriously ill, injured or their life is at risk.</li> <li><input type="checkbox"/> Any member of staff who has provided close contact care to someone with symptoms, even while wearing PPE, and all other members of staff or pupils who have been in close contact with that person with symptoms, even if wearing a face covering, do not need to go home to self-isolate unless they develop symptoms themselves (in which case,</li> </ul>	<p>Public Health England has good evidence that routinely taking the temperature of pupils is not recommended as this is an unreliable method for identifying coronavirus (Covid-19).</p> <p>Essential workers, which includes anyone involved in education or childcare, have priority access to testing. Refer to '<a href="#">List of essential workers for priority testing</a>'</p> <p>A small supply of fluid-resistant surgical face masks should be purchased e.g. <a href="https://www.medisave.co.uk/surgical-face-masks-type-iir-x-50.html">https://www.medisave.co.uk/surgical-face-masks-type-iir-x-50.html</a></p> <p>Anyone with coronavirus (Covid-19) symptoms should not otherwise visit the GP, pharmacy, urgent care centre or a hospital.</p>	

Hazard	Risk	Individuals at risk	Risk Rating	Control Measures What are we doing now?	Notes/Additional Control Measures What more do we need to	Residual Risk
				<p>they should arrange a test) or if the symptomatic person subsequently tests positive or they have been requested to do so by NHS Test &amp; Trace.</p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Everyone must wash their hands thoroughly for 20 seconds with soap and running water or use hand sanitiser after any contact with someone who is unwell. The area around the person with symptoms must be cleaned with normal household disinfectant after they have left to reduce the risk of passing the infection on to other people. Refer to <a href="#">COVID-19: cleaning of non-healthcare settings outside the home</a>.</li> <li><input type="checkbox"/> If a child starts displaying coronavirus symptoms while at their school they must, wherever possible, be collected by a member of their family or household. In exceptional circumstances, where this is not possible, and the setting needs to take responsibility for transporting them home we will do one of the following: <ul style="list-style-type: none"> <li>- use a vehicle with a bulkhead or partition;</li> <li>- the driver and passenger should maintain a distance of 2m from each other;</li> </ul> </li> <li><input type="checkbox"/> the driver should use PPE, and the passenger should wear a face mask if they are old enough and able to do so.</li> </ul>		
Transmission of COVID-19 due to layout and condition of premises e.g. testing location/ environment/ unauthorised access	Serious respiratory illness/death	All accessing the test facility and those administering the test or self-administering	High	<p><b>Throughout all the following sections we will take account of our wider risk assessments for the management of Covid infection in the school.</b></p> <p><b>Testing site/area</b></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Under no circumstances should an individual with symptoms of Covid-19 be allowed to access the testing area. If the individual has symptoms, (continuous cough, loss of taste or smell (anosmia) or a high temperature) the control measures outlined above will be followed.</li> <li><input type="checkbox"/> Testing will take place indoors in a designated area to be determined by the school.</li> <li><input type="checkbox"/> The testing area should be reasonably close to dedicated toilet facilities for use by both pupils and staff/other adults. Limiting the number of toilets will reduce the number which will require regular cleaning.</li> <li><input type="checkbox"/> The testing area will have ready access to hand hygiene facilities e.g. soap and water/alcohol-based sanitiser (minimum 60% alcohol).</li> <li><input checked="" type="checkbox"/> Flooring will be easy to clean and non-porous and the test site cleanable with the approved cleaning product.</li> <li><input type="checkbox"/> Testing area will be well lit and have sufficient ventilation to ensure a good airflow with no recirculation of air. This may be via openable windows or via a forced ventilation system providing fresh air.</li> <li><input type="checkbox"/> Testing area, sample collection stations and privacy booths will be easy to clean and sterilise.</li> <li><input type="checkbox"/> All surfaces will be decluttered of equipment that is not required to run the testing.</li> </ul>		MEDIUM

Hazard	Risk	Individuals at risk	Risk Rating	Control Measures What are we doing now?	Notes/Additional Control Measures What more do we need to	Residual Risk
				<input type="checkbox"/> Sufficient space will be allocated for storage of both test kits (test kits should be stored at a temperature of between 15-30°C) and Personal Protective Equipment (PPE). <input type="checkbox"/> Testing area will have directional signing showing the way in and way out (one directional) where possible – where this is not possible, arrangements will be in place to ensure that test subjects are able to exit the room whilst maintaining a physical distance of 2m. <input type="checkbox"/> Testing area to be laid out with the following: <ul style="list-style-type: none"> <li>- registration desk/reception area at the first point where the test subject would enter the test area and details taken/recorded;</li> <li>- a swabbing desk with adjacent chair for test subject. Swabbing areas to be separate and must be 2m apart;</li> <li>- recording of results desk which will be situated close to the exit and the processing desk and where details of the test results will be recorded;</li> <li>- waste disposal facilities (see below) for both clinical and non-clinical waste to be situated close to the processing desk. A clinical waste bin should also be provided in the test zone for use if the test subject vomits;</li> <li>- Guidance on a suitable testing area layout is provided in NHS guidance <a href="#">COVID-19 National Testing Programme: Schools and College handbook</a> – December 2020</li> </ul> <input type="checkbox"/> Only authorised personnel will be permitted to access the test area. <input type="checkbox"/> The registration desk/reception will be manned at all times whilst the test facility is open. <input type="checkbox"/> Each testing marked area/booth will contain a table, chair, mirror, supply of tissues for use prior to the nasal swab, clinical waste bin (for used tissues and spoilt swabs), hand sanitiser (60% - 80% alcohol) and instructions on self-testing displayed. Suitable posters for test subjects are available in the <a href="#">NHS Handbook for schools</a> . <input type="checkbox"/> The following posters will also be displayed: <ul style="list-style-type: none"> <li>- <a href="#">Handwashing poster</a> in the handwashing area;</li> <li>- <a href="#">How to use hand-sanitiser appropriately</a>;</li> <li>- 'Catch it, bin it, kill it' poster</li> <li>- <a href="#">Social distancing</a> poster</li> </ul> <p><b>Test results waiting area – see also results process below</b></p> <input type="checkbox"/> An area will be designated for test subjects to await their results which will be manned by supervising adults. <input type="checkbox"/> Test subjects will sit 2m apart until they receive their results.	<p>Consider having colour coded waste bins – red for clinical waste and black for non-clinical waste. All waste bins must be lined with waste bags.</p>	

Hazard	Risk	Individuals at risk	Risk Rating	Control Measures What are we doing now?	Notes/Additional Control Measures What more do we need to	Residual Risk
				<ul style="list-style-type: none"> <li><input type="checkbox"/> Where test subjects are not part of the group attending school during the 1<sup>st</sup> week, and their test result if negative, they will be asked to return home immediately.</li> <li><input type="checkbox"/> Students attending school, i.e. years 10 and 11, vulnerable pupils and children of key workers will be allowed to continue to their allocated lessons once the results are known, and only if the result is negative.</li> <li><input type="checkbox"/> At all times, face masks will be worn (unless the individual is exempt from wearing a face covering) until the pupil has returned to their classroom or they have left the school site.</li> </ul>		
Contact between test subjects and others manning the testing area	Serious respiratory illness/death	Staff and pupils	High	<p><b>General</b></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Wherever possible, all staff and other adults involved in the testing process will be over the age of 18.</li> <li><input type="checkbox"/> If any of the testing staff are pregnant, a separate risk assessment will be undertaken to ensure their complete safety during the testing process.</li> <li><input type="checkbox"/> Individuals will undergo two Lateral Flow Device (LFDs) rapid tests spaced 3 to 5 days apart. These tests do <i>not</i> both have to happen in the first week.</li> <li><input type="checkbox"/> Staff and other adults not directly involved in the testing programme will receive one test in the first week and weekly thereafter as part of the longer-term routine testing programme.</li> <li><input type="checkbox"/> All adults supervising the testing process must consent to receiving the LF test prior to their shift in the testing station. This will be undertaken daily for the duration of the testing process for those staff and other adults directly involved in the testing of pupils and staff.</li> <li><input type="checkbox"/> Under no circumstances should an individual with symptoms of Covid-19 continue to work within the testing area. If the individual has symptoms, (continuous cough, loss of taste or smell or a high temperature) the control measures outlined above will be followed.</li> <li><input type="checkbox"/> Any supervising adult or worker who feels ill during the testing process should remove themselves immediately from the testing area following hand hygiene procedures prior to leaving the area. Any PPE worn by the supervising adult will be disposed of appropriately.</li> <li><input type="checkbox"/> All those working in or attending the testing area will use the hand sanitiser (minimum 60% alcohol) provided on arrival and as directed during testing.</li> <li><input type="checkbox"/> All individuals working in or attending test site will wear face coverings in the form of an IIR fluid resistant mask. These will be provided. No other type of face covering will be permitted to be worn in the testing area or holding area. Visors will also be provided.</li> <li><input type="checkbox"/> 2m social distancing to be strictly observed including when the test subject is in the designated area waiting for test results.</li> </ul>	<p>No pregnant members of staff involved in testing.</p> <p>Pupils must be issued with an IIR type face mask whilst waiting for the test which they can dispose of once they have left the results area at the end of the testing process. Those who are exempt will not be required to wear a face mask.</p>	MEDIUM

Hazard	Risk	Individuals at risk	Risk Rating	Control Measures What are we doing now?	Notes/Additional Control Measures What more do we need to	Residual Risk
				<input type="checkbox"/> Regular cleaning of the site including wipe down of all potential touchpoints as outlined in the Cleaning section below. <b>Testing area staff training</b> <input type="checkbox"/> All those working during sessions in the testing area will be reminded of the importance of Covid-19 secure guidance – regular handwashing/use of sanitiser and consistent social distancing. This will be supported by frequent cleaning of test areas and high touchpoint areas <input type="checkbox"/> All those involved in the supervision of pupils undertaking self-tests will be trained in the testing procedure in accordance with NHS guidance. This will include those who are accompanying SEND pupils for the test. <input type="checkbox"/> All testing supervisors and others in the testing area will be trained in the appropriate use of the PPE provided for their role in the testing process: <ul style="list-style-type: none"> <li>- disposable gloves (replaced at the end of each session);</li> <li>- disposable plastic apron (replaced at the end of each session);</li> <li>- goggles or a face visor (cleaned at the end of each session);</li> <li>- disposable surgical mask (a fluid-resistant surgical face mask Type IIR) which should be put on and removed in accordance with the national guidance on <a href="#">donning and doffing PPE</a> (replaced at the end of each session). <b>NOTE: Test Processors must replace their gloves after each test.</b></li> </ul> <input type="checkbox"/> Staff will be provided with information regarding the testing process before the testing commences. <input type="checkbox"/> Staff who are required to top up supplies of PPE will do so at the beginning of each testing session and when no subjects are present. <input type="checkbox"/> All those involved in the testing process will be advised on the appropriate general and spillage cleaning process both during and after the tests have been carried out. <b>Registration area/desk</b> <input type="checkbox"/> The Registration Assistant (RA) is responsible for ensuring test subjects have registered. <input type="checkbox"/> HT ensures orderly entry of test subjects into the testing site. <input type="checkbox"/> Pupils and staff will be asked to register their contact details at the registration desk. <input type="checkbox"/> Handling of documents will be restricted to essential paperwork and test kits. <b>Sample collection zone</b> <input type="checkbox"/> Staff will be trained in the use, wear and disposal of appropriate PPE as detailed in ‘staff training’ above.	<p>Note: Sessions are considered to be complete at any break or end of shift. PPE is generally sessional but should be changed if protective properties are compromised or contaminated from secretions. PPE should be changed between sessions for all staff except those who assist an individual with a test (Test Assistant) and the Test Processor. See specific zone information and job roles within the zone for advice on PPE.</p> <p>One the day prior to testing or before testing begins, it is worth considering a couple of dummy runs to ensure everyone is confident of their role once testing is underway.</p>	

Hazard	Risk	Individuals at risk	Risk Rating	Control Measures What are we doing now?	Notes/Additional Control Measures What more do we need to	Residual Risk
				<ul style="list-style-type: none"> <li><input type="checkbox"/> Each sample collection booth will be manned by a supervising adult (Test Assistant (TA)).</li> <li><input type="checkbox"/> TAs will be provided with disposable gloves, plastic apron and eye protection. These will be replaced or cleaned after each session rather than between each test subject</li> <li><input type="checkbox"/> Where the Test Assistant is assisting with the test, all disposable items will be replaced immediately after the test. Visors may be cleaned after each close contact with an individual test subject.</li> <li><input type="checkbox"/> Pupils will be encouraged to self-swab and will be provided with a sealed sterile swab upon registration.</li> <li><input type="checkbox"/> Only one subject is permitted in each sample collection booth. It is, however, permissible for a test subject to be accompanied by a carer in the case of those subjects with a special educational need or disability.</li> <li><input type="checkbox"/> Before commencing swabbing, the test supervisor will explain the process to the subject.</li> <li><input type="checkbox"/> The subject will also be informed that the swab may sometimes make them gag and they should use a vomit bowl if required. Any used vomit bowls will be disposed of in the clinical waste bin.</li> <li><input type="checkbox"/> If the subject vomits, operations at the testing booth will cease and appropriate cleaning will take place prior to resumption of the testing in that particular booth or area.</li> <li><input type="checkbox"/> Hand hygiene must be followed by the test subject prior to removing their mask.</li> <li><input type="checkbox"/> Test subjects should blow their nose prior to the nasal test being taken; consideration to be given to cross contamination of the tissue container. All used tissues to be disposed of as clinical waste in the appropriate waste container.</li> <li><input type="checkbox"/> Once the appropriate swabs have been taken, the test subject places the swab into the prepared extraction tube provided on the table.</li> <li><input type="checkbox"/> Hand hygiene must then be followed by the test subject prior to replacing their mask.</li> <li><input type="checkbox"/> Any areas or equipment (e.g. mirror) must then be disinfected prior to the next test subject entering the sample collection booth or area.</li> <li><input type="checkbox"/> All those test subjects who receive a positive <b>LFD test result</b> will require a confirmatory PCR (polymerase chain reaction) test in accordance with current public health guidance. <a href="#">Arrange to have a test.</a></li> <li><input type="checkbox"/> All those test subjects who receive a positive <b>LFD test result</b> will be required to isolate in a designated isolation area until they are collected by a parent in accordance with the control measures outlined in section 1 above.</li> <li><input type="checkbox"/> Each testing area will be wiped clean after each test as per the cleaning control measures outlined below.</li> </ul>	<ul style="list-style-type: none"> <li>• <b>11-15 year olds may self-swab (swab their own nose/throat) with supervision of an appropriate member of staff if they have the consent of their parent or guardian.</b></li> <li>• <b>Young people aged 16+ may self-swab, provided the site staff are satisfied that they are 'Gillick Competent' (able to consent to their own medical treatment without parent or guardian present).</b></li> </ul>	

Hazard	Risk	Individuals at risk	Risk Rating	Control Measures What are we doing now?	Notes/Additional Control Measures What more do we need to	Residual Risk
				<ul style="list-style-type: none"> <li><input type="checkbox"/> Clinical waste bins will be provided for disposal of used swabs and PPE. Waste will be disposed of in accordance with the control measures outlined below.</li> <li><b>Sample process zone</b></li> <li><input type="checkbox"/> Staff will be trained in the use of and wear appropriate PPE as detailed in 'staff training' above which will be cleaned (visors) and/or replaced at the end of each session. Gloves will be replaced after handling each test.</li> <li><input type="checkbox"/> Each sample collection booth will have its own sample process table for processing samples from that booth only which should be no more than 1m away.</li> <li><input type="checkbox"/> The Test Processor (TP) will only process one sample at a time.</li> <li><input type="checkbox"/> The TP will follow the manufacturer's instructions for dealing with the swab.</li> <li><input type="checkbox"/> Once the swab has been tested, and all details recorded the TP will immediately dispose of the swab into the appropriate clinical waste bin situated close by.</li> <li><input type="checkbox"/> The sample processing area will be cleaned with disinfectant (e.g. anti-viral wipe) between each sample received.</li> <li><input type="checkbox"/> The test subject can then leave the testing area to an alternative holding area in the school to await the results of the test. Physical distancing and face covering rules must be maintained in this area.</li> <li><b>Results process</b></li> <li><input type="checkbox"/> Test subjects will wait in the designated area until their results are confirmed to them.</li> <li><input type="checkbox"/> Test subjects who receive a negative result do not need to self-isolate unless they are symptomatic, or a contact of a positive case. Such individuals will be advised to seek a further PCR test following the <a href="#">getting tested</a> guidance.</li> <li><input type="checkbox"/> Test subjects who receive an invalid LFD test result will be retested using the test zone or advised to go home and following the national testing guidance and self-isolate in the meantime.</li> <li><input type="checkbox"/> Test subjects who return a positive LFD test result will be required to wait in a separate designated holding area or isolation area until parents can collect them. Parents will be advised to book a follow up test as soon as possible using the <a href="#">getting tested</a> guidance. Until the test subject gets further confirmation of their test result, they must self-isolate immediately for 10 days and everyone in their household must self-isolate for 10 days. They must only leave home for their follow-up test.</li> <li><input type="checkbox"/> Pastoral support will be made available for those pupils who receive a positive test.</li> </ul>	<p>Where pupils are home learning and only attending school for the lateral flow device test, schools may decide to allow those pupils who test negative to return home immediately either alone, with parents or via dedicated school transport. Pupils who test positive will need to await collection by their parents.</p>	

Hazard	Risk	Individuals at risk	Risk Rating	Control Measures What are we doing now?	Notes/Additional Control Measures What more do we need to	Residual Risk
				<input type="checkbox"/> Pastoral support might include finding a quiet space to talk with the pupil or student, being mindful of the need for social distancing/PPE. <input type="checkbox"/> Prior to leaving the holding area, all issued face masks must be disposed of as clinical waste and the procedures for appropriate waste disposal followed (see below).	Pupils may be anxious about their health and impact on their family. For most people, symptoms will last up to 10 days and be mild or they may have no symptoms at all.	
Poor hygiene/cleaning regimes	Serious respiratory illness/death	All staff, pupils and cleaning operatives	High	<p><b>Regular cleaning plays a vital role in limiting the transmission of Covid-19.</b></p> <input type="checkbox"/> Cleaning will take place in accordance with the school's current <a href="#">cleaning during the Covid-19 pandemic risk assessment</a> . Refer to <a href="#">COVID-19: cleaning in non-healthcare settings outside the home</a> for further information. <input type="checkbox"/> The frequency of the clean is dependent on the number of people using the space, whether they are entering and exiting the setting and touching door handles etc., and access to hand hygiene. As a minimum, frequently touched surfaces should be cleaned twice per day, and one of these should be at the beginning or the end of the working day. <input type="checkbox"/> Public areas where a symptomatic subject has passed through and spent minimal time but which are not visibly contaminated with body fluids can be cleaned thoroughly as normal. <input type="checkbox"/> Cleaning staff must follow the PPE guidance and use the equipment provided as listed above. See section in staff training (PPE). Fluid resistant surgical masks (type IIR) must be worn in all non Covid secure areas by cleaning staff including the testing area. <input type="checkbox"/> Cleaning staff must only enter the sampling area when the activity is no longer being conducted. In between times, those manning the testing area will undertake the general cleaning. <input type="checkbox"/> In the event of a spillage, when cleaners need to enter an active test area, cleaners should ensure that they are wearing appropriate PPE, avoid contact with any test subject within 2m, replace all PPE after cleaning spillages and properly dispose of the used PPE. <input type="checkbox"/> Apart from where there has been a spillage, the following cleaning guidance will be adhered to: <ul style="list-style-type: none"> <li>- All surfaces that the test subject has come into contact with must be cleaned and disinfected, including all potentially contaminated and frequently touched areas such as handles, light switches, telephones and the surfaces that the subject may have had contact in between each individual that is tested.</li> <li>- Disposable cloths or paper roll and, where required, disposable mop heads, to clean all hard surfaces, floors, chairs, door handles and sanitary fittings.</li> <li>- Any cloth and disposable mop heads used for cleaning must be disposed of appropriately in the waste bin provided.</li> </ul>		MEDIUM

Hazard	Risk	Individuals at risk	Risk Rating	Control Measures What are we doing now?	Notes/Additional Control Measures What more do we need to	Residual Risk
				<ul style="list-style-type: none"> <li>- Surfaces must be cleaned at the end of the session before the next session starts i.e. in between test group batches of subjects.</li> <li>- Desks and surfaces used by those manning the test area should be cleaned twice per day and between staff changes.</li> <li><input type="checkbox"/> For cleaning, we will use one of the options below and avoid mixing cleaning products: <ul style="list-style-type: none"> <li>- a combined detergent and disinfectant at a dilution of 1000 parts per million(ppm) available chlorine;</li> <li>- a household detergent followed by disinfection (1000 ppm available chlorine). Follow manufacturer’s instructions for dilution, application and contact times for all detergents and disinfectants; or</li> <li>- any disinfectant which ensures that it is effective against enveloped viruses</li> </ul> </li> <li><input type="checkbox"/> Cleaners to observe 2m social distancing.</li> <li><input type="checkbox"/> Fluid resistant surgical masks type IIR are to be worn in all non COVID secure areas by cleaning staff.</li> </ul>		
Covid-19 infection as a result of inappropriate waste disposal	Ill-health/death	Test centre users/ cleaners and those responsible for waste disposal	High	<ul style="list-style-type: none"> <li><input type="checkbox"/> General, non-clinical waste and packaging can be disposed of in a suitable lined container and placed in the general waste.</li> <li><input type="checkbox"/> Clinical waste including test swabs, cartridges/devices and PPE must be disposed of as either clinical waste via an appropriate clinical route or the bag must be tied, placed in another bag and tied (double bagged) and stored for at least 72 hours before disposing of it via the normal household waste collection service.</li> </ul>	For further information on waste control refer to the school <a href="#">cleaning risk assessment for Covid-19</a>	MEDIUM
Ongoing Covid-19 infection in school because of lack of regular testing	Ill health/death, community transmission	All pupils staff and other adults in the school	High	<ul style="list-style-type: none"> <li><input type="checkbox"/> After the initial mass testing, all secondary school staff will be able to have routine testing once a week; pupils and staff will be able to do ‘serial testing’ if one of their contacts within school tests positive. This should commence the week after the second stage of the mass testing has taken place.</li> <li><input type="checkbox"/> Pupils and staff will be able to do ‘serial testing’ if they are a <b>close contact of a positive case</b>. This will allow them to stay in education <b>if they provide written consent and agree to take</b> a daily test in the morning for 7 consecutive school days.</li> <li><input type="checkbox"/> <b>If staff, pupils or students cannot take a test (e.g. on the weekend) they should self-isolate for that day, and resume serial contact testing on their return to school. If they return after the 7 days are finished, then they should take one final test, and if it is negative they can return to school and their testing period is complete (even if they have not taken 7 tests in total).</b></li> <li><input type="checkbox"/> <b>If staff or pupils do not wish to be tested daily or are unable to be tested for any reason, they must self-isolate in accordance with national</b></li> </ul>	<b>Refer to flowchart on page 19 of the NHS Handbook for schools/colleges.</b>	MEDIUM

Hazard	Risk	Individuals at risk	Risk Rating	Control Measures What are we doing now?	Notes/Additional Control Measures What more do we need to	Residual Risk		
				<p>guidance until 10 days after the person they are a contact of tested positive or displayed symptoms.</p> <ul style="list-style-type: none"> <li><input type="checkbox"/> If at any point they test positive on the lateral flow device they will need to leave school, self-isolate and take a further PCR test. If the PCR test is positive, they will need to self-isolate for 10 days from the point of the positive PCR test. Others in their household or social bubble must also self-isolate for 10 consecutive days from the date the PCR test was administered.</li> <li><input type="checkbox"/> Any new positive cases during serial contact testing will reset the clock for the serial contact testing (daily testing) to the start of 7 days</li> </ul>				
Other building related issues	Injury	All users of the building	High	<ul style="list-style-type: none"> <li><input type="checkbox"/> None of the test centre designated areas will breach the school's current fire risk assessment. Doors which are fire doors may be wedged open temporarily to reduce the risk of virus transmission on doors. Any doors wedged open during the testing process will be closed fully at the end of the testing session.</li> <li><input type="checkbox"/> Fire evacuation routes will be kept clear and equipment used will not be permitted to block fire routes or exits from the building.</li> <li><input type="checkbox"/> Access to a telephone will be given for use in an emergency.</li> <li><input type="checkbox"/> Normal emergency procedures will continue throughout the school.</li> <li><input type="checkbox"/> A first aid kit will be made available specifically for the testing designated areas</li> <li><input type="checkbox"/> School's current accident procedures will be followed in the event of an accident or near-miss.</li> </ul>		MEDIUM		
<b>Further Action Required</b>					<b>Date Action Completed</b>	<b>Date RA Reviewed</b>	<b>Significant Changes Y/N</b>	<b>Shared with Staff Date or N/A</b>
This risk assessment must be read and followed in conjunction with other applicable risk assessments and any plans/layouts of the school site and testing area.								